

IEEE Mass Storage Conference Vendor Reception Lake Tahoe, NV

Manager


Joe Rotiroti Client Systems

IBM, Federal 484 433 9756 cell 845 491 5227 fax rotiroti@us.ibm.com

May 04, 2010




How is GPFS different?



All features included - All of the software features: snapshots, replication and multi-site connectivity are included in the GPFS license. There are no license keys besides client and server to add-on, you get all of the features up front.



Enhance enterprise-wide collaboration through multi-cluster



Why?

- Tie together multiple sets of data into a single namespace
- Allow multiple application groups to share portions or all data
- Secure, available and high performance data sharing



File System configuration and performance data







GPFS is already running at data sizes most companies will start supporting five years from now.

Number of files:

- 2 Billion per file system
- 256 file systems
- Max File System Size: 2^99 bytes
- Max File Size = File system size

Disk IO:

- AIX 134 GB/sec
- Linux 66 GB/sec

Number of nodes:

• 1 to 8192




IBM Scale Out NAS Architecture

Parallel Grid architecture provides:

- Massive scalability
- Extreme performance
- Automatic Tiered Storage
- Global virtual file server

IBM Scale out NAS is an appliance:


- Simple: Only 3 basic orderable parts:
 - ✓ Management Nodes
 - ✓ Interface Nodes
 - ✓ Storage Pods
- All nodes are clustered
- SONAS Software runs on every node
- Uses enterprise commercial offthe-shelf (COTS) components
 - To leverage technology cost and performance advances quickly





IBM Scale Out NAS

Appliance



Fully Integrated Appliance

Superscalar Network Attached Storage (NAS) system with a industry-leading software stack

NFS, CIFS, FTP, HTTP and SCP network file protocols

- Near linear performance on a 'per-node' basis to existing market, but with aggregate performance that will be extreme and market leading.
- Global file system namespace
- Synch and Asynch replication of file data
- File system snapshots, quotas,
- Scalable, Integrated Information Lifecycle Management (ILM)
 - Automatic tiered storage
 - HSM support to external Tivoli Storage Manager (TSM) server
- Real-time performance monitoring
- Integrated System HealthCenter for HW monitoring
- LDAP Support, Windows Active Directory support
- 1GbE and 10GbE host interfaces
- High speed extremely low latency (20 Gbit/sec) private Infiniband cluster data network
- High density RAID controller and disk expansion drawer (4U x 60 HDD's)
- Support for high-performance SAS and high-capacity SATA HDD's



IBM Scale Out Network Attached Storage Expansion Options

Switches
Interface Node

I/O Dense Configuration

8

Switches
Storage Node
Storage Node
60 Disks
60 Disks
60 Disks
60 Disks
Storage Node
Storage Node
60 Disks
60 Disks
60 Disks
60 Disks

Storage Dense Configuration

Node Expansion


- Up to 30 interface nodes
- High speed extremely low latency (20 Gbps) private
 Infiniband cluster data network

Storage Expansion

- Up to 30 storage pods, each with up to 240 HDD's
- Scalable to 14.4 PB of raw storage in single system using 2 TB drives
- Max of 7,200 hard drives



IBM Scale Out NAS: The life of a file from creation to deletion



9

Using Automatic Tiered storage

- Storage pool group of LUNs
- Fileset define subtrees of a file system
- Policies for rule based management of files inside the storage pools

Delivering:

- Scalability billions of files
- One global file system name space across independent logical storage pools
- Files in the same directory can be in different pools
- Files placed in storage pools at create time using policies



- Files moved between pools via automated policy-driven tiered storage
- Hierarchical storage based on files
- Hierarchical to both disk and tape
- Allows classification of data according to **SLAs**



SAN Volume Controller



2 nodes

- IBM's Storage Virtualization product and Single point of control for Storage resources.
- Designed to combine Storage capacity from multiple disk systems into a reservoir of capacity
- Thin provisioning
- Supports the consolidation of Heterogeneous Storage systems from many vendors

ftp://ftp.software.ibm.com/common/ssi/pm/sp/n/tsd00254usen/TSD00254USEN.PDF

 Mirrored virtual disks, which can be mirrored across disk subsystems



SAN Volume Controller

- Tiered Storage support
- Easy data migration from one Storage to another without Apps down time.
- Easy to use Graphical management interface
- Supports IBM Tivoli Storage FlashCopy manager application-aware snapshots.
- For more information,

11

http://www-03.ibm.com/systems/storage/software/virtualization/svc/

Storage Performance council Reports

SPC1 - http://www.storageperformance.org/benchmark_results_files/a00072_IBM_SVC4.3_SPC1_full-disclosure.pdf


SPC2 - http://www.storageperformance.org/results/b00024_IBM-SVC4.2_SPC2_full-disclosure.pdf



IBM System Storage Disk product family

SAN products

NAS products





http://www-03.ibm.com/systems/resources/systems_storage_resource_pguide_prodguidedisk.pdf

DS8700 Highlights Disk Road Map

New Hardware Platform

- P6 model 570 servers
 - 4.7 Ghz processors
 - 2 core and 4 core
 - Enhanced RAS features
- PCI Express I/O drawer
 - High throughput PCle 4x Gen2 cable connection.
- New Model (Model 941/94E)
 - Significant performance increase
- Enhanced device adapter processor
 - IOPS boost

Functional Improvements

- High Performance Ficon for System z (multitrack)
- Encryption enhancements
 - Deadlock Recovery Key Management
 - Dual Platform Key server support
- Code Load Improvements
 - · Service window reductions

Inherited Advanced Function from DS8000





Smart Tools for Optimizing Tiered Storage




Smart data analysis tools


- **IBM FLASHDA** tool for identifying opportunities for SSD exploitation
- New DS8000 performance analytics for identifying sub-volume data to expl tiered storage for both open and zOS
- -System Monitoring Facility (SMF) for analyzing z/OS trends and peak usage
- System p AIX filemon for performance analysis
- -System i workload analysis tools
- Tivoli Storage Productivity Center for Disk for detailed, real-time performan
 monitoring and historical performance analysis
- -Omegamon XE for analyzing dataset and volume performance
- Softek Data Mobility Console for z/OS offers real time data analysis and use controlled movement of data with concurrent application access







DS8000 POWER6 Estimated Performance














DS8000 Estimated Future Performance



Sequential Writes – GB/s

R4.2
R5.0
R5.1
R6.0







IBM XIV

- IBM XIV is a Grid-based Storage system of independent modules
- Enterprise storage suitable for mixed application use
- Ease of storage administration
- Scalability options leading up to a full rack
- Powerful Copy Services capabilities
- Automatic tuning for best performance
- Automatic data layout and seemless redistribution of data when the system changes.





IBM XIV

- Interoperability with IBM AIX, HP-UX, Macintosh, MS-Windows, Novell, Red Hat Linux, Solaris, VM ware ESX and Linux on z.
- Supports 1,2,4 Gbps FC rates, iSCSI over Gigabit Ethernet and SCSI3 for both FC and iSCSI
- Flexible Interoperability with Virtual layer of storage systems (SAN Volume Controller, Virtual Tape Libraries and Virtual NAS).
- Minimum usable 27 TB (6 Modules) and Maximum 79 TB (15 modules).
- Storage capacity, spindles can be scaled from base configuration to 7 different configurations and Thin provisioning.
- FC and iSCSI host ports support
- Min 48GB cache and maximum 120GB.
- Various rich data protection features

Space efficient Snapshots and Consistency groups Remote Mirroring (Synchronous and Asynchronous)

- High-end architecture with SATA drives
 Provides revolutionary power (cooling) consumption
- Net space used by application data and zero lost space
 Thin provisioning



IBM XIV

- Reduces the Storage Administration tasks and "Decision-less" storage.
- Single Full capacity XIV storage can provide

105,000 IOPS

2.1GB/s Read

1.3GB/s Write


Cache to Disk bandwidth 240 Gbps per module

- 24 x 4 Gb Host ports and 6 x 1 Gb iSCSI ports.
- 2 x Gigabit Ethernet switches for interconnecting Data modules
 Provides overall internal connectivity of 120 Gbps.
- 3 UPS Sufficient for 15 mins of operation without an external power source.
- Concurrent and non-disruptive Firmware upgrades
- http://www-03.ibm.com/systems/storage/disk/xiv/index.html



IBM Power Systems

- Consistency
 - Binary compatibility
 - Mainframe-inspired reliability
 - Advanced Virtualization
 - AIX, Linux and IBM i OS
- Complete flexibility for workload deployment















Processor Technology

IBM Investment in the Power Franchise






POWER5 130 nm



POWER6 65 nm



POWER7 45 nm



POWER8

- Dual Core
- Chip Multi Processing
- Distributed Switch
- Shared L2
- Dynamic LPARs (32)

- Dual Core
- Enhanced Scaling
- -SMT
- Distributed Switch +
- **■**Core Parallelism +
- ■FP Performance +
- Memory bandwidth +
- Virtualization

- Dual Core
- High Frequencies
- Virtualization +
- Memory Subsystem +
- Altivec
- Instruction Retry
- Dyn Energy Mgmt
- SMT +
- Protection Keys

- Multi Core
- On-Chip eDRAM
- Power Optimized Cores
- Mem Subsystem ++
- SMT++
- Reliability +
- VSM & VŚX
- Protection Keys+

2001

2004

2007

2010

Future



Dynamic Infrastructure with System x &



Cluster 1350 & iDataPlex



Enterprise

Server Consolidation, Large Virtualization and Enterprise Workloads

Massive scale-out HPC, Cloud, Grid, energy efficiency Scale Up

Infrastructure integration and simplification, energy efficiency

Scale Out



Single, infrastructure Applications

System x Rack and Tower

BladeCenter









THANK YOU

Manager

May 04, 2010

Joe Rotiroti Client Systems

IBM, Federal 484 433 9756 cell 845 491 5227 fax rotiroti@us.ibm.com